STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight

All other non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product. **DO NOT** re-use empty container for any other purpose.

Envirodrum - Micro Matic Valve

Store the original sealed Envirodrum in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. **DO NOT** tamper with the Micro Matic valve or the security seal. **DO NOT** contaminate the Envirodrum with water or any other foreign matter. After each use of the product please ensure that the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase.

Refillable Containers

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Product and spray are poisonous if absorbed by skin contact or inhaled or swallowed. Will irritate the eyes. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin and clothing. DO NOT inhale spray mist. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, water resistant footwear and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (*Phone Australia 13 11 26*; New Zealand 0800 764 766) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

Refer to attached Leaflet for additional GHS Hazard & Precautionary Statements

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Ptv Ltd website www.imtrade.com.au.

CONDITIONS OF SALE

Intrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on mitrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of intrade Australia Pty Ltd has any authority to add to or alter these conditions.

UN 3017

ORGANOPHOSPHORUS
PESTICIDE, LIQUID,
TOXIC, FLAMMABLE
(contains OMETHOATE,
1-methoxy-2-propyl acetate)

In a Transport Emergency
Dial 000 Police or Fire Brigade

PG III

HAZCHEM •3W

APVMA Approval No: 63676/142823

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

IMTRADE

OMEN 290

INSECTICIDE

ACTIVE CONSTITUENT: 290g/L OMETHOATE

(an anticholinesterase compound)

GROUP 13 INSECTICIDE

For the control of Redlegged Earth Mite, Blue Oat Mite and Lucerne Flea on Pasture, Cereals, Canola and Pulse crops, and Bluegreen Aphid and Cowpea Aphid on Faba Beans as per the Directions for Use table.

IMPORTANT: Read the attached Leaflet before use.









Batch No DOM:



17 Ocean St, Kwinana Beach WA 6167 08 9419 0333 | www.imtrade.com.au

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE OMEN 290 INSECTICIDE

ACTIVE CONSTITUENT: 290g/L OMETHOATE (an anticholinesterase compound)

GROUP B INSECTICIDE

For the control of Redlegged Earth Mite, Blue Oat Mite and Lucerne Flea on Pasture, Cereals, Canola and Pulse crops, and Bluegreen Aphid and Cowpea Aphid on Faba Beans as per the Directions for Use table

IMPORTANT: READ THIS LEAFLET THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT

APVMA Approval No: 63676/142823

Imtrade Australia Pty Ltd ABN 13 090 151 134 17 Ocean Street, Kwinana WA 6167 Tel: 1800 171 799 Fax: 1800 171 788 Web: www.imtrade.com.au

RESTRAINTS:

 ${\bf D0~N0T}$ apply with boomspray equipment unless operators are protected by enclosed cabs.

DO NOT use open mixing/loading systems for boom spray and aerial equipment.

DO NOT apply by spray equipment carried on the back of the user.

SPRAY DRIFT RESTRAINTS:

Specific definitions for terms used in this section of the label can be found at www.apvma.gov.au/spraydrift

- DO NOT allow bystanders to come into contact with the spray cloud.
- DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.
- **DO NOT** apply unless **wind speed** is between 3 and 20 kilometres per hour at the **application site** during the time of application.
- DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise

| CROP | PEST | RATE | CRITICAL COMMENTS |
|---------|---|-----------|--|
| Pasture | Redlegged Earth Mite (Not Qld) Blue Oat Mite (Qld, NSW only) | | AUTUMN/WINTER: Spray 2-5 weeks after opening rains when mites have hatched to prevent seedling damage or loss. IMTRADE OMEN 290 INSECTICIDE is rain fast within 1 hour of spraying. Residual control is less on 1-2 true leaf plants. IMTRADE OMEN 290 INSECTICIDE should be mixed with minimum tillage or direct drill sprays to kill existing mite populations. SPRING: Spray mite infested pastures to prevent damage, yield loss and to reduce infestation pressure in the following Autumn. IMTRADE OMEN 290 INSECTICIDE may be added to pasture herbicides. |
| | Lucerne Flea (Not Qld) | | Spray on appearance and before damage occurs. If second hatching occurs a follow up spray may be required. |
| | Spotted Clover Aphid | | Apply at the first sign of Aphid activity. |
| | Clover Mite (Bryobia Mite) (NSW, WA only) | 120 mL/ha | Spray on appearance and before damage occurs. |

| CROP | PEST | RATE | CRITICAL COMMENTS |
|---|---|---------------------|---|
| Cereals, Canola and Pulse Crops | Redlegged Earth Mite (Not Qld) Blue Oat Mite (Qld, NSW only) | | Spray 2-5 weeks after opening rains when mites have hatched to prevent seedling damage or loss. IMTRADE OMEN 290 INSECTICIDE is rain fast within 1 hour of spraying. Residual control is less on 1-2 true leaf plants. IMTRADE OMEN 290 INSECTICIDE should be mixed with minimum tillage or direct drill sprays to kill existing mite populations. Spray mite infested pulses to prevent damage, yield loss and to reduce infestation pressure in the following season. Cereals: DO NOT apply after BBCH 29. Canola: DO NOT apply after BBCH 30. Pulses: DO NOT apply after BBCH 30. |
| | Lucerne Flea (Not Qld) | | Spray on appearance and before damage occurs. If second hatching occurs a follow up spray may be required. |
| | Clover Mite (Bryobia Mite) (NSW, WA only) | 120 mL/ha | Spray on appearance and before damage occurs. |
| Faba Bean | Bluegreen Aphid | 100 or 200 mL/ha | Spray when aphids start to build up. Use the higher rate when faster knockdown is required. |
| | Cowpea Aphid | 200 mL/ha | Spray when aphids start to build up. |
| Barrier spraying | Redlegged Earth Mite (NSW, WA only) | 300 mL/ha | To prevent invasion, spray bare earth outside crop as well as weeds along the fenceline using an offset jet. Note: Rain will reduce the efficacy of the bare earth treatment but leave an effective barrier on the weeds. |
| Рорру | Redlegged Earth Mite (Tas only) | 100 mL/ha | Spray on appearance and before damage occurs. DO NOT apply after BBCH 30. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

DO NOT USE THIS PRODUCT IN THE HOME GARDEN.

WITHHOLDING PERIOD:

HARVEST: NOT REQUIRED WHEN USED AS DIRECTED.

Canola, Cereals, Pulses: DO NOT GRAZE FOR 14 DAYS AFTER APPLICATION.

Pasture: DO NOT GRAZE OR CUT FOR STOCKFEED FOR 14 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Before opening, carefully read Directions for Use, Precautionary Statements, Safety Directions and First Aid Instructions.

INSECTICIDE RESISTANCE WARNING

GROUP 13 INSECTICIDE

For insecticide management, OMEN 290 is a Group **1B** Insecticide. Some naturally occurring insect biotypes resistant to OMEN 290 and other Group **1B** Insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if OMEN 290 and other Group **1B** Insecticides are used repeatedly. The effectiveness of OMEN 290 on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of OMEN 290 to control resistant insects. OMEN 290 may be subject to specific resistance management strategies. For further information contact your local supplier, Imtrade Australia Pty Ltd representative or local agricultural department agronomist.

Mixing

Mix the required quantity of OMEN 290 in sufficient water to give even coverage. Boom sprayers and aircraft are satisfactory for spraying OMEN 290.

Compatibility

Compatible with most commonly used herbicides. Ensure that OMEN 290 is thoroughly mixed in the spray tank before adding a herbicide. **DO NOT** mix concentrates together but add each to the spray tank separately. As formulations to other manufacturer's products are beyond the control of Imtrade Australia Pty Ltd, all mixtures should be tested prior to mixing with other commercial quantities. As changes in climatic conditions can alter the sensitivity of plants to mixtures of sprays, Imtrade Australia Pty Ltd cannot be responsible for the behaviour of such mixtures.

RE-ENTRY PERIODS: Barrier Spray around crops

DO NOT allow entry into treated areas for two days. If prior entry is required, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and gloves. Clothing must be laundered after each day's use.

PROTECTION OF HONEY BEES AND OTHER INSECT POLLINATORS DANGEROUS TO BEES. DO NOT SPRAY ANY PLANTS IN FLOWER WHILE BEES ARE FORAGING.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty containers and product. **DO NOT** re-use empty container for any other purpose.

Envirodrum - Micro Matic Valve

Store the original sealed Envirodrum in a cool, well ventilated area. **DO NOT** store for prolonged periods in direct sunlight. **DO NOT** tamper with the Micro Matic valve or the security seal. **DO NOT** contaminate the Envirodrum with water or any other foreign matter. After each use of the product please ensure that the Micro Matic coupler, delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase.

Refillable Containers

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Product and spray are poisonous if absorbed by skin contact or inhaled or swallowed. Will irritate the eyes. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin and clothing. DO NOT inhale spray mist. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, water resistant footwear and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (*Phone Australia 13 11 26*; *New Zealand 0800 764 766*) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

Additional GHS Hazard & Precautionary Statements

•Very toxic to aquatic life; •Keep away from heat, sparks, open flames and hot surfaces — No smoking; •Keep container tightly closed; •Avoid breathing fumes, mists, vapours or spray; •D0 NOT get in eyes, on skin, or on clothing; •Wash contacted areas thoroughly after handling; •D0 NOT eat, drink or smoke when using this product; •Use only outdoors or in a well-ventilated area; •Contaminated work clothing should not be allowed out of the workplace; •IF SWALLOWED: Rinse mouth. Do NOT induce vomiting; •IF INHALED: Remove victim to fresh air and keep at rest in a positon comfortable for breathing; •If skin irritation or rash occurs: Get medical advice; •If eye irritation persists: Get medical advice; •In case of a fire, note the following. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses; •Store locked up; •Keep container tightly closed.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website www.imtrade.com.au.

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

UN 3017

ORGANOPHOSPHOROUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE (contains OMETHOATE, 1-methoxy-2-propyl acetate)

In a Transport Emergency
Dial 000
In a Transport Emergency

PG III HAZCHEM •3W





APVMA Approval No.: 63676/142823