

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty container for product.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length chemical resistant gloves. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

Refer to attached Leaflet for additional GHS Hazard & Precautionary

SAFETY DATA SHEET

Additional information is listed in Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

IMTRADE

CYPROCONAZOLE

800 WG FUNGICIDE

ACTIVE CONSTITUENT: 800 g/kg CYPROCONAZOLE

GROUP 3 FUNGICIDE

For the control of Target Spot and Late Blight in Potatoes as specified in the Directions for Use Table.

IMPORTANT: Read the attached Leaflet before use.

FORM
WG

CONTENTS
1kg-5kg



Batch No.
DOM:

IMTRADE
CropScience

17 Ocean St, Kwinana Beach WA 6167
08 9419 0333 | www.imtrade.com.au

UN 2588

PESTICIDE, SOLID, TOXIC, N.O.S.
(contains CYPROCONAZOLE)

In a Transport Emergency
Dial 000
Police or Fire Brigade

PG III

HAZCHEM 2X

APVMA Approval No.
82555/106048



TOXIC

6

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



IMTRADE CYPROCONAZOLE 800 WG FUNGICIDE

ACTIVE CONSTITUENT: 800g/kg CYPROCONAZOLE

GROUP 3 FUNGICIDE

For the control of Target Spot and Late Blight in Potatoes
as specified in the Directions for Use table

**IMPORTANT: READ THIS LEAFLET THOROUGHLY
BEFORE OPENING OR USING THIS PRODUCT**

APVMA Approval No: 82555/106048

Imtrade Australia Pty Ltd
ABN 13 090 151 134
17 Ocean Street, Kwinana, Western Australia 6167
Tel: 1800 171 799 Fax: 1800 171 788
Web: www.imtrade.com.au

DIRECTIONS FOR USE

CROP	PEST	STATE	RATE/Ha	CRITICAL COMMENTS
Potatoes	Early Blight or Target Spot (<i>Alternaria solani</i>), Late Blight or Irish Blight (<i>Phytophthora infestans</i>)	QLD only	20 to 31g plus 1.6 to 2.5L Chlorothalonil (500g/L)	CAUTION: May cause transient phytotoxicity when applied to plants less than 20cm in height (<12 leaves). Use as a protectant program. Commence spraying when conditions favour disease development. For rates below 2L apply every 7 days. For rates of 2 to 2.5L apply every 7 to 10 days. Use the higher rates when disease challenge is high. North QLD: Use a minimum rate of 25g of Imtrade Cyproconazole 800 WG Fungicide plus 2L/ha Chlorothalonil (500g/L) for all diseases. Use a higher rate if disease challenge is high.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS

Potatoes: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

MIXING

Add the required amount of Imtrade Cyproconazole 800 WG Fungicide directly to the tank and mix well.

APPLICATION

Boom Application: Apply by a properly calibrated boom spray using not less than 100 to 400L water/ha.

Aerial Application: Apply at least 20L/ha total spray volume. The aircraft should fly as low as practical under the prevailing conditions to minimize drift.

COMPATIBILITY

Imtrade Cyproconazole 800 WG Fungicide is compatible in tank mixtures with protectant fungicides and most insecticides.

FUNGICIDE RESISTANCE WARNING

GROUP 3 FUNGICIDE

Imtrade Cyproconazole 800 WG Fungicide is a member of the DMI group of fungicides. For fungicide resistance management, Imtrade Cyproconazole 800 WG Fungicide is a Group 3 Fungicide. Some naturally occurring individual fungi resistant to Imtrade Cyproconazole 800 WG Fungicide and other Group 3 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if fungicides are used repeatedly. These resistant fungi will not be controlled by Imtrade Cyproconazole 800 WG Fungicide or other Group 3 Fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungicide is difficult to detect prior to use, Imtrade Australia Pty Ltd accepts no liability for any losses that may result from the failure of Imtrade Cyproconazole 800 WG Fungicide to control resistant.

RESISTANCE MANAGEMENT

DO NOT apply more than 3 consecutive DMI sprays alone, before changing to a fungicide of a different activity group. Apply a maximum of 5 DMI sprays per season.

PRECAUTIONS

Risk Management for Re-Entry

DO NOT allow entry into treated areas until the spray has dried.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, rivers or streams with product or used containers. Minimise spray drift by using low pressure and nozzles which do not give a fine droplet size.

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the Storage and Disposal instructions on the label that is attached to the container.

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight.

All other non-refillable containers

Triple-rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty container or product.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length chemical resistant gloves. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

Additional GHS Hazard & Precautionary Statements

●Toxic if swallowed; ●May damage the unborn child; May cause damage to organs through prolonged or repeated exposure; ●Very toxic to aquatic life with long lasting effects; ●**DO NOT** get on clothing; ●Wash contacted areas thoroughly after handling; ●**DO NOT** eat, drink or smoke when using this product; ●Wear eye or face protection; ●Wash with plenty of soap and water; ●**IF SWALLOWED:** Rinse mouth. Do **NOT** induce vomiting; ●If exposed or concerned: Get medical advice; ●Collect spillage; ●In case of fire, use carbon dioxide, dry chemical, foam, water fog; ●Store locked up; ●Store in a dry place.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from your supplier or Imtrade Australia Pty Ltd website at www.imtrade.com.au

CONDITIONS OF SALE

Imtrade Australia Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Imtrade's skill or judgment in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Imtrade Australia Pty Ltd has any authority to add to or alter these conditions.

UN 2994	ARSENICAL PESTICIDE, LIQUID, TOXIC (DISODIUM METHYLARSONATE)
IN A TRANSPORT EMERGENCY, DIAL 000 POLICE OR FIRE BRIGADE	
PG III	HAZCHEM 2X

APVMA Approval No: 82555/106048

